OraXcel (on Windows 2000/XP/7 with Excel 2000, 2002, 2003, 2007) Installation Guide By: Amin Yuliastanto Web & System Administrator / Web & Database Administrator Research and Development, ITD Repex Wahana, PT 29 Desember 2010

- 1. Download and Extract Oracle Client 10.2.0.3 from <a href="http://10.105.105/data/OracleClient10.2.0.3.zip">http://10.105.105/data/OracleClient10.2.0.3.zip</a>
- 2. Open folder Oracle Client 10.2.0.3 and run Setup.exe, please wait while the Oracle Universal Installer is loading.
- 3. Click Next button

Cracle Universal Installer: Welcome	
Welcome	
The Oracle Universal Installer guides you through the installation and Oracle products.	configuration of your
Click "Installed Products" to see all installed products.	
	Deinstall Products
Abou	Deinstall Products
Abou	Deinstall Products t Oracle Universal Installer )

4. Choose Custom and click Next button

🛣 Oracle Universal Installer: Select Installation Type 📃	• •
Select Installation Type Oracle Client 10.2.0.1.0	g
What type of installation do you want?	
CInstantClient (498KB)	
Installs Instant Client software.	
C Administrator (533MB)	
Installs the management console, management tools, networking services, util, basic client software.	
C Runtime (213MB)	
Installs tools for developing applications, networking services and basic client software.	
Custom	
Enables you to choose individual components to install.	
	ages)
Help Installed Products Back Next Install	Cancel )
ORACLE	

#### 5. If you want to change Installation Path click Browse otherwise just click Next.

Cracle	Jniversal Installer: Specify Home Details	
Spec	cify Home Details	
Destir	nation	
Enter or	select a name for the installation and the full path where you want to install the produ	uct.
Na <u>m</u> e:	OraClient10g_home1	
P <u>a</u> th:	D:\oracle\product\10.2.0\client_1	Bro <u>w</u> se )
Heln	Installed Products Back Next Install	Cancel
		Cancer

6. Make sure all these components is selected under Oracle Client 10.2.0.1.0 then click Next:

Cracle Universal Installer: Available Product Components	
Available Product Components Oracle Client	
The following are components that you can install as part of Oracle Client want to install?	. Which of these components do you
Components	Install Status
🖓 🗹 Oracle Client 10.2.0.1.0	New Install
□ Oracle SQLJ 10.2.0.1.0	Not Installed
☑ Oracle Database Utilities 10.2.0.1.0	New Install
➢ Oracle Java Client 10.2.0.1.0	New Install
SQL*Plus 10.2.0.1.0	New Install
□ Oracle JDBC/THIN Interfaces 10.2.0.1.0	Not Installed
□ Oracle Internet Directory Client 10.2.0.1.0	Not Installed
P I Oracle Windows Interfaces 10.2.0.1.0	New Install
Oracle Services For Microsoft Transaction Server 10.2.0.1.0	New Install
□ Oracle Administration Assistant for Windows 10.2.0.1.0	Not Installed
Show all components, including required dependencies.	
Help Installed Products Back Ne	ext (install Cancel)
ORACLE	



- a.
- b. Oracle Java Client 10.2.0.1.0
- SQL\*Plus 10.2.0.1.0 С.
- d. Oracle Windows Interfaces 10.2.0.1.0
  - i. Oracle Objects for OLE 10.2.0.1.0
  - ii. Oracle ODBC Driver 10.2.0.10
  - iii. Oracle Provider for OLE DB 10.2.0.1.0
  - iv. Oracle Data Provider for .NET 10.2.0.1.0
- e. Oracle Net 10.2.0.1.0

# 7. Click Next again:

racle Universal Installer: Pro	duct-Specific Prerequisite	Checks				
roduct-Specific	Prerequisite C	necks				
The Installer verifies that ve	ur anviranmant maata all	of the minimum re	auiromonto f	ar in	stalling and	
onfiguring the products that	at you have chosen to inst	all. You must man	ually verify an	d co	staning and nfirm the items t	hat
are flagged with warnings a	ind items that require mar	nual checks. For d	etails about p	erfo	rming these	
hecks, click the item and re	eview the details in the bo	x at the bottom of t	he window.			-
Check			Туре		Status	
Checking Oracle Home pa	ith for spaces		Automatic		Succeeded	
Checking for Oracle Home	incompatibilities		Automatic	2	Succeeded	<u>.</u>
(4)						
					Retry Sto	op
0 requirements to be verifi	ed.					
0 requirements to be verifi Actual Result: NEW HOME	ed.					
0 requirements to be verifi Actual Result: NEW_HOME Check complete. The overa	ed. Ill result of this check is: F	'assed				6
0 requirements to be verifi Actual Result: NEW_HOME Check complete. The overa	ed. : III result of this check is: P	'assed				6
0 requirements to be verifi Actual Result: NEW_HOME Check complete. The overa	ed. III result of this check is: P	'assed				E
0 requirements to be verifi Actual Result: NEW_HOME Check complete. The overa	ed. Ill result of this check is: F	'assed				

8. Click Install button then wait until installation finish.

📉 Oracle Universal Installer: Summary	
Summary Oracle Client 10.2.0.1.0	
- Global Settings	<b>A</b>
-Source: I:\oraclestuff\Oracle Client 10.2.0.3\stage\products.xml	
-Oracle Home: D:\oracle\product\10.2.0\client_1 (OraClient10g_home1)	
Installation Type: Custom	
-Product Languages	
English	
O-Space Requirements	
-C:\ Required 20MB (includes 19MB temporary) : Available 79.50GB	
D1\ Required 253MB : Available 100.47GB	
-New Installations (57 products)	
Agent Required Support Files 10.2.0.1.0	
Assistant Common Files 10.2.0.1.0	
-Bali Share 1.1.18.0.0	
Buildtoolo Common Filos 10.2.0.1.0	
Help Installed Products Back Next Install	Cancel
ORACLE'	

## 9. Click Next on Oracle Net Configuration Assistant:

Oracle Net Configuration Assista	ant: Welcome
	Welcome to the Oracle Net Configuration Assistant. This tool will take you through the common configuration steps, listed below. Naming Methods configuration Or, you can choose to have the Oracle Net Configuration Assistant complete a typical configuration for you. Click Help for more information.
Cancel Help	Seck Next S

# 10. Next again:

Oracle Net Configuration Assist	ant: Naming Methods Configuration, Select Naming Methods 📃 💌
	When connecting to a database or other service, you specify a connect identifier, such as a net service name. The connect identifier is resolved into a connect descriptor by one or more naming methods. By default, the local naming method (tnsnames. ora file) is configured for enabling client to connect to the database server. Select the naming methods you want to use for resolving connect identifiers, and the order in which you want them used. Recommended naming methods have been preselected for you. Available Naming Methods
	NIS External Naming
Cancel Help	🕜 Back Next 📎

## 11. On Service Name type PROD

Oracle Net Configuration Assistant: Net Service Name Configuration, Service Name		
	Each Oracle database or service has a service name. An Oracle database's service name is normally its global database name. Enter the service name of the database or other service you want to access.	
	Service Name: PROD	
Cancel Help	<u> </u>	

#### 12. Select TCP and click Next

Oracle Net Configuration Assistant: Net Service Name Configuration, Select Protocols		
To communicate with the protocol is used. Select the vant to access.   TCP   TCPS   IPC   NMP	e database across a network, a network he protocol used for the database you	
Cancel Help	≪ Back <u>N</u> ext ≫	

#### 13. On Host name enter 10.10.105.43

Oracle Net Configuration Assist	ant: Net Service Name Configu	ration, TCP/IP Protocol
	To communicate with the database using the TCP/IP protocol, the database computer's host name is required. Enter the host name for the computer where the database is located.	
A C	Host name:	10.10.105.43
(A)	A TCP/IP port number is also standard port number should	required. In most cases the I be used.
	Use the standard port num	ber of 1521
R. D.	C Use another port number:	1521
Cancel Help	( «	Back Next >

## 14. Choose Yes, perform a test and click Next

Oracle Net Configuration Assistan	nt: Net Service Name Configuration, Test
	You can verify that an Oracle database can be reached, using the information provided, by performing a connection test. Would you like to test that a connection can be made to the database? No, do not test O Yes, perform a test
Cancel Help	<u> </u>

#### 15. On Net Service Name enter ORAAPPS1:



16. We will create another TNSNames so Choose Yes and click Next

Oracle Net Configuration Assistant: Net Service Name Configuration, Another Net Service Na	ervice Name?	×
Would you like to configure another net serv No Yes	ice name?	
Cancel Help 3	$\geq$	

17. Repeat step 11 until 12 when asked the same question

#### 18. On Hostname enter 10.10.105.44

Oracle Net Configuration Assist	ant: Net Service Name Configur	ration, TCP/IP Protocol
	To communicate with the data database computer's host na for the computer where the da	abase using the TCP/IP protocol, the me is required. Enter the host name atabase is located.
3	Host name:	10.10.105.44
EA.	A TCP/IP port number is also standard port number should	required. In most cases the I be used.
	Use the standard port num	ber of 1521
	C Use another port number:	1521
Cancel Help	3	Back Next >

- 19. Then follow the same instruction on step 14 when asked the same question
- 20. On Net Service Name enter ORAAPPS2

Oracle Net Configuration Assistant: Net Service	e Name Configuration, Net Service Name
Ente The defau the s Net S	r a name for this net service name. Dracle Net Configuration Assistant has ulted the net service name to be the same as ervice name you entered earlier. Bervice Name: ORAAPPS2
Cancel Help	<u> </u>

21. INFO: ORAAPPS1 and ORAAPPS2 are Database connections when try to connect with OraXcel. But when to use ORAAPPS1 or ORAAPPS2? You can verify it when opening Oracle Apps by looking the URL on address bar.

Ø Sign In - Windows Internet Explorer						
🚱 💬 🗢 🙋 http://oraapps1.rpxholding.com:80	00/ 🕶 😽 🗄	🗙 🚼 Ga	oogle			• ٩
🚖 🏾 🏉 Sign In		🖄 🕶 I	<b>N</b> • 🖃	-	Ø• @•	<b>@</b> ∙ "
ORACLE Oracle E-Business Suite Login Welcome to Oracle E-Busines Enter your username and password to login *Indicates Required Field	e s Suite					E
* Password				J		
Done 🗣	Local intranet	Protected	d Mode: Off	4	a 🔹 🔍 10	0% 👻 🔐

## 22. Select No then click Next

Oracle Net Configuration Assistant: N	Net Service Name Configuration, Another Net Service Name?	×
	Would you like to configure another net service name?	
Cancel Help	🕜 Back Next >	

## 23. Then click Next, Next after that click Finish button.



Oracle Net Configuration Assistant: Done							
	Oracle Net Configuration Complete.						
Cancel Help	<u> ⊴</u> ack Next >) ( <u></u>						

24. After that click Exit button answer Yes when asked.

📉 Oracle Universal Installer: End of Installation	
1	
End of Installation	
The installation of Oracle Client was successful.	
Help Installed Products Back Next Install	) ( <u> </u>
ORACLE	

- 25. Download and extract file oraxcel.zip from this location <u>http://10.10.105.105/data/oraxcel.zip</u> if you already read this manual it's possible that you already did that.
- 26. On folder oraxcel folder and double-click file installer.xls, If there are any macros security warning, disable it so the installer can run properly.

How to disable macros security warning on Excel 2003, click menu Tools > Macro > Security and choose Low. Click OK. Restart Excel and open installer.xls again.

27. Click Install button, to install it on your Excel program

🔀 Microsoft Ex	cel - insta	ller							_		×
📳 <u>F</u> ile <u>E</u> dit	⊻iew <u>I</u>	nsert F <u>o</u> r	mat <u>T</u> ool	s <u>D</u> ata	<u>W</u> indow	<u>H</u> elp			-	ð	×
🚼 🊆 Arial			- B	ΙŪ	≣≣		\$ 1	•	🕭 - <mark>А</mark>	-	r: ₹
K7	•	fx									
Welcom	e to Ora	xcel									
This choot	ic created	Lto acciet	you to in	ctall or k	and the C	)raveal ta	ol				
This sheet	is createu	110 455151	you to m	stall of It	Jau the C	naxcerio	101.				
										_	
Makes Ora	axcel ava	ilable ev	erytime y	you star	t Excel		In	stall			
Recommen	nded to fre	quent use	ers of the t	ool.							
						_					
Uninstall	Draxcel						Un-	Install			
This will re	move the (	Oraxcel fe	atures fro	m Excel							
Load the	Oraxcel u	itility but	do not in	istall it			Load but	not Ins	tall		
Recomme	nded if you	l occasior	ally use (	Draxcel.							
										_	
UnLoad th	е Огахсе	el utility				Ur	nload but	not Unl	nstall		
Removes t	he Oraxce	l features	from Exc	el but do	ies not cl	hange the	e installat	tion sett	ings.		
						Ĭ			Ĭ		
CopyRight©	1998 by Ge	errit-Jan Lir	ker, All Rig	ihts Resei	ved	R	ead the (	Draxcel	FAQ		
Install.xls v	ersion 1.0	14									
Ready								NUM			1

- 28. Restart Excel
- 29. Now on your Excel has a new menu Oracle. Click Oracle > Connect and enter credentials needed

Oraxcel Connect 🔰 🔁							
User Name	apps	ОК					
Password	****	Cancel					
Database	prod_rpx						

30. Excel now logged to RPX Orafin Server

Microsoft Excel - apps@prod_rpx - Book1										IX		
:2	Eile	<u>E</u> dit	⊻iew	Insert	F <u>o</u> rmal	t <u>T</u> ools	Ora <u>c</u> le	<u>D</u> ata	<u>W</u> indow	Help	_ é	7 X
1	<b>1</b>	Arial			• 10 ·	- B I	<u>u</u>	Ē≣		• 🔕 •	<u>A</u> -	•• ₹
	A1		•	fx								
	, A	7	В		С	D		E	F	G		
1												
2		N 1			-1	,						. <b>–</b> 1
ji∎ ∎	• •	\She	et1 ( Si	neet2 <u>/</u>	Sheet3	/						
Read	ly								NUN	1		1.